**Safety Data Sheet** 

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Last Revision Date 15-Jun-2021

Version: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Name Product Code Unique Formula Identifier (UFI) Safety data sheet number

Universol Hard water 225; 11-10-28+2MgO+TE 2033-225HA WJM5-J0N2-C00T-GJA4 2033-225HA

REACH registration number Pure substance/mixture Not applicable Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Fertilizer (PC12). Restricted to professional users.
Uses Advised Against	Consumer use (SU21)

Reason why uses advised against Use advised against in Chemical Safety Assessment per REACH Annex I point 7 2.3

#### 1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190 For further information, please contact: INFO-RA@ICL-GROUP.COM Non-Emergency Telephone Number +31 (0) 418655700

### 1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24/7)

Europe	112			
Austria	+43 1 406 43 43			
Belgium	+32 (0) 70 245 245			
Denmark	+45 8212 1212			
Finland	0800 147 111			
France	+33 (0)1 45 42 59			
Ireland	01 809 2566			
Netherlands	088 755 8000 (24/7)			
Norway	+47 22 59 13 00			
Poland	+48 42 2538 400			
Portugal	+351 800 250 250			
Spain	+34 91 562 04 20			
Sweden	112			
Switzerland	Tox Info SW 145 (24h)			
United Kingdom	111			

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Oxidizing solids	Category 3 - (H272)

### 2.2. Label elements



Contains<sup>®</sup> Urea phosphate; ĈH<sub>7</sub>N<sub>2</sub>O<sub>5</sub>P, Potassium sulphate; K<sub>2</sub>SO<sub>4</sub> Signal word Danger

### Hazard statements

H315 - Causes skin irritation H318 - Causes serious eye damage H272 - May intensify fire; oxidizer

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P220 - Keep away from clothing and other combustible materials
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU Index No)	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number	M-Factor	M-Factor (long-term)
Potassium nitrate; KNO <sub>3</sub> (7757-79-1)	231-818-8	40 - 50%	Ox. Sol. 3 (H272)	-	01-2119488224- 35-0020	-	-
Urea phosphate; CH7№20₅P (4861-19-2)	225-464-3	10 - 25%	Skin Corr. 1B (H314)	Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%<=C<25% Eye Irrit. 2 :: 10%<=C<25% Skin Irrit. 3 :: C<=10%	01-2119489460- 34	-	-
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub> (7778-80-5)	231-915-5	10 - 25%	Eye dam. 1 (H318)	-	01-2119489441- 34	-	-
Iron-potassium-EDTA; Fe-K-EDTA (54959-35-2)	259-411-0	1 - 5%	-	-	01-2120085738- 40	-	-
Copper-(NH4)2-EDTA	268-018-3	< 0.1%	Acute Tox. 4	-	01-2119980793-	_	-

(67989-88-2)			(H302) Skin Irrit, 2		23		
			(H315)				
Boric acid; H <sub>3</sub> BO <sub>3</sub> (10043-35-3)	233-139-2 (005-007-00-2)	< 0.1%	Repr. 1B (H360FD)	-	01-2119486683- 25	-	-
Sodium molybdate; Na2MoO4 (7631-95-0)	231-551-7	< 0.1%	-	-	01-2119489495- 21	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L
Potassium nitrate; KNO <sub>3</sub>	3015	5000	0.527
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	6600	2000	No data available
Boric acid; H <sub>3</sub> BO <sub>3</sub>	2660	2000	2.12
Sodium molybdate; Na2MoO4	4000	2000	No data available

Chemical name	CAS No.	SVHC candidates	
Boric acid; H <sub>3</sub> BO <sub>3</sub>	10043-35-3	Х	

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Burning sensation.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to physicians	Treat symptomatically.

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
1	ne substance or mixture elease of irritating and toxic gases and vapors. elease of irritating and toxic gases and vapors The product itself does not burn May intensify
Hazardous Combustion Products	Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon dioxide (CO2). Phosphorus oxides. Ammonia. Nitrogen oxides (NOx).
5.3. Advice for firefighters	
On a state way to attract a material state of the	

**Special protective equipment and** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. **precautions for fire-fighters** 

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation.		
Other information	Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8. Prevent entry into waterways, sewers, basements or confined areas.		
6.2. Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so.		
6.3. Methods and material for conta	ainment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal. Use up product completely. Packaging material is industrial waste.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
6.4. Reference to other sections			
Reference to other sections	See section 8 for more information. See section 13 for more information.		

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

	skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	KEEP OUT OF REACH OF CHILDREN AND PETS. Keep container tightly closed in a dry and well-ventilated place. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep away from frost.
7.3. Specific end use(s)	
Specific use(s)	Fertilizer.
Exposure scenario	Mixture. Not required.
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other Information	
PGS-7 (The Netherlands) LGK (Germany) TRGS 510	1.3/C 5.1B

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Potassium nitrate; KNO3	-	-	-	TWA: 5.0 mg/m <sup>3</sup>	-
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	-	-	-	TWA: 10.0 mg/m <sup>3</sup>	-
Iron-potassium-EDTA;	-	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Fe-K-EDTA					STEL: 2 mg/m <sup>3</sup>
Copper-(NH4)2-EDTA	-	TWA: 1 mg/m <sup>3</sup>	-	-	-
		TWA: 0.1 mg/m <sup>3</sup>			
		STEL 4 mg/m <sup>3</sup>			
Boric acid; H <sub>3</sub> BO <sub>3</sub>		STEL 0.4 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	
	-	-	STEL: 6 mg/m <sup>3</sup>	TWA. 5.0 mg/m <sup>e</sup>	-
Sodium molybdate;	-	TWA: 5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Na <sub>2</sub> MoO <sub>4</sub>		STEL 10 mg/m <sup>3</sup>	i ti a olo mgim	TWA: 10.0 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Iron-potassium-EDTA;	-	-	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>
Fe-K-EDTA			STEL: 2 mg/m <sup>3</sup>		-
Copper-(NH4)2-EDTA	-	-	-	-	TWA: 0.02 mg/m <sup>3</sup>
Sodium molybdate;	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Na2MoO4		Ceiling: 25 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Iron-potassium-EDTA;	-	-	-	TWA: 1 mg/m <sup>3</sup>	-
Fe-K-EDTA				STEL: 2 mg/m <sup>3</sup>	
Copper-(NH4)2-EDTA	-	-	-	-	TWA: 0.1 mg/m <sup>3</sup>
			<b>T</b> IN(A 40 / 0		STEL: 0.2 mg/m <sup>3</sup>
Boric acid; H <sub>3</sub> BO <sub>3</sub>	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	-
			Peak: 10 mg/m <sup>3</sup>		
Sodium molybdate;	TWA: 5 mg/m <sup>3</sup>	-	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

Na <sub>2</sub> MoO <sub>4</sub>	STEL: 10 mg/m <sup>3</sup>				
Chemical name	Italy MDLPS	Latvia	Lithuania	Luxembourg	Netherlands
Potassium nitrate; KNO3	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	-	-
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	-
Boric acid; H <sub>3</sub> BO <sub>3</sub>	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	-
Sodium molybdate;	-	-	TWA: 5 mg/m <sup>3</sup>	-	-
Na <sub>2</sub> MoO <sub>4</sub>			TWA: 10 mg/m <sup>3</sup>		
Chemical name	Norway	Poland	Portugal	Romania	Slovakia
Iron-potassium-EDTA;	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-	-
Fe-K-EDTA	STEL: 3 mg/m <sup>3</sup>				
Boric acid; H <sub>3</sub> BO <sub>3</sub>	-	-	TWA: 2 mg/m <sup>3</sup>	-	-
			STEL: 6 mg/m <sup>3</sup>		
Sodium molybdate;	TWA: 5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-
Na <sub>2</sub> MoO <sub>4</sub>	STEL: 10 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>		STEL: 5 mg/m <sup>3</sup>	
Chemical name	Slovenia	Spain	Sweden	Switzerland	United Kingdom
Iron-potassium-EDTA;	-	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Fe-K-EDTA					STEL: 2 mg/m <sup>3</sup>
Copper-(NH4)2-EDTA	-	TWA: 0.01 mg/m <sup>3</sup>	-	-	TWA: 1 mg/m <sup>3</sup>
					STEL: 2 mg/m <sup>3</sup>
Boric acid; H <sub>3</sub> BO <sub>3</sub>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-	TWA: 1.8 mg/m <sup>3</sup>	-
	STEL: 1.0 mg/m <sup>3</sup>	STEL: 6 mg/m <sup>3</sup>		STEL: 1.8 mg/m <sup>3</sup>	
Sodium molybdate;	-	TWA: 0.5 mg/m <sup>3</sup>	NGV: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Na <sub>2</sub> MoO <sub>4</sub>			NGV: 10 mg/m <sup>3</sup>		STEL: 10 mg/m <sup>3</sup>

### **Biological occupational exposure limits**

Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Sodium molybdate;	-	-	-	150 µg/L - BAR (end	-
Na <sub>2</sub> MoO <sub>4</sub>				of exposure or end	
				of shift) urine	

Derived No Effect Level (DNEL)

No information available.

8.2. Exposure controls

Personal protective equipment	Wear normal, light working clothing
Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Prevent product from entering drains.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties Physical state Solid

Appearance:	Crystals, Powder(s)	
Color:	Off-white	
Odor:	Fertilizer.	
Property	Values	Remarks • Method
Melting Point/Freezing Point:	No data available	None known
Boiling Point/Range:	No data available	None known
Flammability (solid, gas):	No data available	None known
Flammability Limits in Air:		None known
Upper Flammability Limit:	Not applicable	
Lower Flammability Limit:	Not applicable	
Flash Point:	No data available	None known
Autoignition Temperature:	No data available	None known
Decomposition Temperature:		None known
pH	3.0 (1g/l)	None known
pH (as aqueous solution)	No data available	None known
Kinematic Viscosity:	No data available	None known
Dynamic Viscosity:	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition Coefficient:	No data available	None known
Vapor Pressure:	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Density:	No data available	
Vapour density	No data available	None known
Particle characteristics		
Particle Size	No data available	
Particle Size Distribution	No data available	

### 9.2. Other information Not applicable

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	Not reactive.			
10.2. Chemical stability				
Stability	Stable under normal conditions.			
<b>Specific methods:</b> Sensitivity to mechanical impact Sensitivity to static discharge	Not sensitive. Not sensitive.			
10.3. Possibility of hazardous reactions				
Possibility of hazardous reactions	None under normal processing.			
10.4. Conditions to avoid				
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.			
10.5. Incompatible materials				

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

### Numerical measures of toxicity

#### Acute toxicity

### The following values are calculated based on chapter 3.1 of the GHS document

0 % of the mixture consists of ingredient(s) of unknown acute toxicity

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium nitrate; KNO <sub>3</sub>	= 3015 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 0.527 mg/L (Rat)4 h
Urea phosphate; CH7N2O5P	= 2600 mg/kg (Rat)	-	-
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Boric acid; H <sub>3</sub> BO <sub>3</sub>	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.12 mg/L (Rat)4 h
Sodium molybdate; Na2MoO4	= 4000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.84 mg/L (Rat)4 h

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Respiratory or skin sensitization	Based on available data, the clas	sification criteria are not met.	
Germ cell mutagenicity	Based on available data, the clas	sification criteria are not met.	
Carcinogenicity Reproductive toxicity	Based on available data, the clas Based on available data, the clas		
Chemical name European Union		European Union	
Boric acid	; H₃BO₃	Repr. 1B	
10043-35-3			
STOT - single exposure STOT - repeated exposure Aspiration hazard Endocrine disrupting properties Not applicable.	The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met		

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### Ecotoxicity

### Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	EC50: =2900mg/L (72h, Desmodesmus subspicatus)	LC50: =653mg/L (96h, Lepomis macrochirus) LC50: =3550mg/L (96h, Lepomis macrochirus) LC50: 510 - 880mg/L (96h, Pimephales promelas)	_	EC50: =890mg/L (48h, Daphnia magna)
Boric acid; H <sub>3</sub> BO <sub>3</sub>	-	-	-	EC50: 115 - 153mg/L (48h, Daphnia magna)

### 12.2. Persistence and degradability

Persistence and Degradability: No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient	
Boric acid; H <sub>3</sub> BO <sub>3</sub>	-1.09	

### 12.4. Mobility in soil

Mobility in soil no data available.

Mobility no data available.

### 12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Potassium nitrate; KNO3	The substance is not PBT / vPvB
Urea phosphate; CH7N2O5P	The substance is not PBT / vPvB
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	The substance is not PBT / vPvB
Iron-potassium-EDTA; Fe-K-EDTA	The substance is not PBT / vPvB
Copper-(NH4)2-EDTA	The substance is not PBT / vPvB
Boric acid; H <sub>3</sub> BO <sub>3</sub>	The substance is not PBT / vPvB
Sodium molybdate; Na <sub>2</sub> MoO <sub>4</sub>	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

### 12.7. Other adverse effects

. No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other Information	Use up product completely. Packaging material is industrial waste. If material is uncontaminated, collect and reuse as recommended for product.

# **SECTION 14: Transport information**

IMDC		
IMDG		
<u>14.1</u>		
UN-No:	1479	
<u>14.2</u>		
Proper shipping name:	Oxidizing solid, N.O.S. (Potassium nitrate)	
14.3		
Transport hazard class(es)	5.1	
14.4		
Packing group:		
Limited Quantity	5 kg	
14.5	Cg	
Marine Pollutant:	Not regulated	
14.6	Notrogulated	
EmS:	F-A / S-Q	
Special Provisions	223, 274, 900	
	223, 214, 300	
Bulk transport according Annex II of MARPOL and IBC Cod	e no data avaliable	
ADR		
<u>14.1</u>		
UN-No:	1479	
14.2		
Proper shipping name:	Oxidizing solid, N.O.S. (Potassium nitrate)	
<u>14.3</u>		
<u>· ····</u>		

Transport hazard class(es)	5.1
<u>14.4</u>	
Packing group:	III
<u>14.5</u>	
Environmental hazards	Not regulated
<u>14.6</u>	
Special Provisions	274
Tunnel restriction code	E
Limited Quantity	5 kg
ΙΑΤΑ	
14.1	
UN number or ID number	1479
<u>14.2</u>	
Proper shipping name:	Oxidizing solid, N.O.S. (Potassium nitrate)
14.3	- , , ,
Transport hazard class(es)	5.1

Ш

A3

Not regulated

Transport hazard class(es) <u>14.4</u> Packing group <u>14.5</u> Environmental hazards <u>14.6</u> Special Provisions



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Denmark France ICPE

### Germany

LGK (Germany) TRGS 510 Gefahrstoffverordnung (Germany) TRGS 511 Water hazard class (WGK) Classified installation: article 4706

5.1B Not regulated non-hazardous to water (nwg)

Chemical name	German WGK Section
Potassium nitrate; KNO <sub>3</sub>	Reg. no. 346, hazard class 1 - slightly hazardous to water
Urea phosphate; CH7N2O5P	Reg. no. 6537, hazard class 1 - slightly hazardous to water
Potassium sulphate; K <sub>2</sub> SO <sub>4</sub>	Reg. no. 255, hazard class 1 - slightly hazardous to water
Copper-(NH4)2-EDTA	Reg. no. 2351, hazard class 2 - obviously hazardous to
	water
Boric acid; H <sub>3</sub> BO <sub>3</sub>	Reg. no. 315, hazard class 1 - slightly hazardous to water
Sodium molybdate; Na2MoO4	Reg. no. 638, hazard class 1 - slightly hazardous to water

### Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Boric acid; H <sub>3</sub> BO <sub>3</sub>	-	-	Fertility Category 1B
			Development Category 1B
Sodium molybdate; Na <sub>2</sub> MoO <sub>4</sub>	-	-	Fertility Category 2

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Take note of Directive 94/33/EC on the protection of young people at work

Not to be used by professional users below 18 years of age, see the National Working Environment Authorities Executive Order on young peoples dangerous work.

### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
	Use restricted. See entry 30.	-
Boric acid; H <sub>3</sub> BO <sub>3</sub>	Use restricted. See entry 75.	

### REGULATION (EU) 2019/1148 on the marketing and use of explosives precursors

Chemical name	REGULATION (EU) 2019/1148 on the marketing and use of explosives precursors
Potassium nitrate; KNO3	Present

Not regulated

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### EU - Plant Protection Products (1107/2009/EC)

### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
	Product-type 8: Wood preservatives
Boric acid; H <sub>3</sub> BO <sub>3</sub>	

International Inventories:	
TSCA	This product complies with USINV
PICCS:	This product does not comply with phil:
Australian Inventory of Chemical	This product does not comply with AICS
Substances	

Legend:

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
<b>EINECS/ELINCS</b> - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Chemical Safety Report Substance(s) usage is covered according to Reach regulation 1907/2006

### **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H360FD - May damage fertility. May damage the unborn child

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	Sk*

STEL (Short Term Exposure Limit) Skin designation

## **Classification procedure**

Calculation method

• Expert judgment and weight of evidence determination

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization Prepared by Regulatory Affairs Department (INFO-RA@ICL-GROUP.COM) Last Revision Date 15-Jun-2021

Restrictions on use	Restricted to professional users.

# This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

### End of Safety Data Sheet