

Safety Data Sheet

Issue Date 17-Mar-2014

Revision Date 10-Oct-2019

Version: 2.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Solinure GT 10-5-39+2MgO+TE
Product Code: 29190325GB
Synonyms: Solinure GT 10-2.2-32.4+1.2Mg+TE
Pure substance/mixture Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fertilizer (PC12). Restricted to professional users.
Uses Advised Against: Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Everris International B.V. Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Eye Irritation	Category 1 - (H318)
Oxidizing solids	Category 3 - (H272)

2.2. Label elements



Signal Word: Danger

Hazard Statements:

H318 - Causes serious eye damage

H272 - May intensify fire; oxidizer
Contains Potassium sulphate; K₂SO₄

Precautionary Statements:

P280 - Wear eye protection/ face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor/physician
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P221 - Take any precaution to avoid mixing with combustibles
 P501 - Dispose of container in accordance with local regulation

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Potassium nitrate; KNO ₃	231-818-8	7757-79-1	65 - 80%	Ox. Sol. 3 (H272)	01-2119488224-35
Potassium sulphate; K ₂ SO ₄	231-915-5	7778-80-5	10 - 25%	Eye Dam. 1 (H318)	01-2119489441-34
Iron-EDTA-13; Fe-EDTA	239-802-2	15708-41-5	0.1 - 1%	Not classified	01-2119496228-27
Manganese-EDTA, Mn-EDTA	239-407-5	15375-84-5	< 0.1%	Not classified	01-2119493600-40
Boric acid; H ₃ BO ₃	233-139-2	10043-35-3	< 0.1%	Repr. 1B (H360FD)	01-2119486683-25
Copper-EDTA; Cu-EDTA	237-864-5	14025-15-1	< 0.1%	Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119963944-23
Sodium molybdate; Na ₂ MoO ₄	231-551-7	7631-95-0	< 0.1%	Not classified	01-2119489495-21

Component	SVHC candidates
Boric acid; H ₃ BO ₃ 10043-35-3 (< 0.1%)	Present

Full text of H- and EUH-phrases: see section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures**General Advice:**

First aid measures should be executed by trained personnel only.

Inhalation

Possible symptoms are coughing and/or dyspnoea. If not breathing, give artificial respiration. If symptoms persist, call a physician.

Skin Contact:

If skin irritation persists, call a physician.

Eye Contact:

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

Ingestion:

Possible symptoms are nausea and/or vomiting. Clean mouth with water and drink afterwards plenty of water. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing mediaSuitable Extinguishing Media:

Coordinate fire extinguishing measures to fire in surrounding area. Flooding quantities of water.

Unsuitable Extinguishing Media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors. The product itself does not burn. May intensify fire; oxidizer.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters

should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment. Wear personal protective equipment.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Shovel or sweep up. Do not create a powder cloud by using a brush or compressed air. Prevent product from entering drains.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures between 0 °C and 40 °C.

Packaging Materials: Store in original container. Store in a closed container.
PGS-7 (The Netherlands) 1.3/C
LGK (Germany) 5.1B

7.3. Specific end use(s)

Specific use(s): Fertilizer; www.everris.com; Read and follow label instructions
Exposure scenario: Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

<i>Potassium nitrate; KNO₃</i>	
Australia	> 10 mg/m ³
Bulgaria - OEL- TWAs	5.0 mg/m ³ TWA
Latvia - OEL - TWAs	5 mg/m ³ TWA
<i>Potassium sulphate; K₂SO₄</i>	
Bulgaria - OEL- TWAs	10.0 mg/m ³ TWA
Latvia - OEL - TWAs	10 mg/m ³ TWA
<i>Iron-EDTA-13; Fe-EDTA</i>	
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK EH40 WEL (8h)	1 mg/m ³ TWA
<i>Manganese-EDTA, Mn-EDTA</i>	
Czech Republic OEL	1 mg/m ³ TWA
Ireland	TWA: 0.2 mg/m ³

	STEL: 0.6 mg/m ³
Boric acid; H₃BO₃	
Australia	12 mg/m ³
Belgium - 8 Hr TWA	2 mg/m ³ TWA borate
Bulgaria - OEL- TWAs	5.0 mg/m ³ TWA (as B, listed under Boron and its inorganic compounds)
Ireland	TWA: 2 mg/m ³ STEL: 6 mg/m ³
Latvia - OEL - TWAs	10 mg/m ³ TWA
Portugal	STEL: 6 mg/m ³ TWA: 2 mg/m ³
Spain - Valores Limite Ambientales - VLE	STEL: 6 mg/m ³ TWA: 2 mg/m ³
Switzerland	STEL: 1.8 mg/m ³ TWA: 1.8 mg/m ³
Copper-EDTA; Cu-EDTA	
Austria	STEL 0.4 mg/m ³ TWA: 0.1 mg/m ³
Australia	N.A.
Finland	TWA: 0.02 mg/m ³
Sodium molybdate; Na₂MoO₄	
Austria	STEL 10 mg/m ³ TWA: 5 mg/m ³
Czech Republic OEL	5 mg/m ³ TWA
Denmark	TWA: 5 mg/m ³
Finland	TWA: 0.5 mg/m ³
FR - OEL - 8h VMEs	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Ireland	TWA: 10 mg/m ³ STEL: 30 mg/m ³
Norway	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Poland	STEL: 10 mg/m ³ TWA: 4 mg/m ³
Portugal	TWA: 0.5 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 0.5 mg/m ³
Switzerland	TWA: 5 mg/m ³

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Potassium nitrate; KNO ₃ 7757-79-1 (65 - 80%)		20.8 mg/kg bw/day	36.7 mg/m ³
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)		21.3 mg/kg bw/day	37.6 mg/m ³

Predicted No Effect Concentration (PNEC)

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Potassium nitrate; KNO ₃ 7757-79-1 (65 - 80%)	0.45 mg/l		0.045 mg/l			18 mg/l
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)	0.68 mg/l		0.068 mg/l			10 mg/l

8.2. Exposure controls**Personal protective equipment****Eye/Face Protection**

Wear eye/face protection

Hand protection

Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection

Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit

Skin and body protection:

Lightweight protective clothing

Hygiene Measures: Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:	Solid
Appearance:	Crystals, Powder(s)
Color:	light brown.
Odor:	None
Bulk density:	+/- 1200 kg/m ³
pH:	4.5 @ 21°C (@ 200 g/l)
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
Oxidizing Properties:	May intensify fire; oxidizer.
<u>9.2. Other information</u>	
VOC Content (%):	Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Burning produces obnoxious and toxic fumes.

10.5. Incompatible materials

Keep away from catalysts like derivatives of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	May cause slight irritation.
Skin Contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.

Information on Toxicological Effects

None known

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 41,772.00 mg/kg

Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.Potassium sulphate; K₂SO₄ (7778-80-5)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium nitrate; KNO ₃	= 3015 mg/kg (Rat)	> 2000 mg/kg	> 527 mg/m ³
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	N.E.
Iron-EDTA-13; Fe-EDTA	= 5 g/kg (Rat) > 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 2.05 g/m ³ (Rat) 4 h
Boric acid; H ₃ BO ₃	= 2660 mg/kg (Rat)	> 2000 mg/kg	> 0.16 mg/L (Rat) 4 h
Sodium molybdate; Na ₂ MoO ₄	= 4233 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2080 mg/m ³ (Rat) 4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION**12.1. Toxicity****Ecotoxicity****Unknown Aquatic Toxicity**

Should not be released into the environment

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Potassium sulphate; K ₂ SO ₄	2900: 72 h Desmodesmus subspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static	-	890: 48 h Daphnia magna mg/L EC50

Boric acid; H ₃ BO ₃	-	1020: 72 h Carassius auratus mg/L LC50 flow-through	-	115 - 153: 48 h Daphnia magna mg/L EC50
--------------------------------------------	---	-----------------------------------------------------	---	-----------------------------------------

12.2. Persistence and degradability**Persistence and Degradability:**

No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential**Bioaccumulation:**

Does not bioaccumulate.

Chemical Name	LOGPOW
Boric acid; H ₃ BO ₃	-0.757

12.4. Mobility in soil

No data available.

12.5. PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods**Disposal of Wastes:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging:

Do not reuse container.

Other Information

Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG**14.1****UN-No:**

1486

14.2**Proper shipping name:**

Potassiumnitrate Mixture

14.3**Hazard Class:**

5.1

14.4**Packing group:**

III

Limited Quantity

5 kg

14.5**Marine Pollutant:**

No information available

14.6**EmS:**

F-A / S-Q

Special Provisions

964, 967

14.7**Bulk transport according Annex II of MARPOL and IBC Code** No data available**ADR/RID****14.1****UN-No:**

1486

14.2**Proper shipping name:**

Potassiumnitrate Mixture

14.3**Hazard Class:**

5.1

14.4**Packing group:**

III

14.5**Environmental Hazard**

Not regulated

14.6**Special Provisions**

None

Tunnel restriction code E
 Limited Quantity 5 kg

IATA

14.1
UN-No: 1486
14.2
Proper shipping name: Potassiumnitrate Mixture
14.3
Hazard Class: 5.1
14.4
Packing group: III
14.5
Environmental Hazard Not regulated
14.6
Special Provisions None



Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Potassium nitrate; KNO ₃ 7757-79-1 (65 - 80%)	10000 tonne; 5000 tonne	5000 tonne (in cases where this dangerous substance falls within category P5a Flammable liquids or P5b Flammable liquids, then for the purposes of this Regulation the lowest qualifying quantities applies); 1250 tonne

Denmark

Denmark No data available

France

ICPE Classified installation: article 4706

Germany

LGK (Germany) 5.1B
 Water Endangering Class (WGK): 1 (Everris classification)
 Gefahrstoffverordnung (Germany) TRGS 511 C III

Component	German WGK Section
Potassium nitrate; KNO ₃ 7757-79-1 (65 - 80%)	1
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)	1
Iron-EDTA-13; Fe-EDTA 15708-41-5 (0.1 - 1%)	2
Manganese-EDTA, Mn-EDTA 15375-84-5 (< 0.1%)	2
Boric acid; H ₃ BO ₃ 10043-35-3 (< 0.1%)	1
Copper-EDTA; Cu-EDTA 14025-15-1 (< 0.1%)	2
Sodium molybdate; Na ₂ MoO ₄	1

7631-95-0 (< 0.1%)	
--------------------	--

Component	EU - Explosives Precursors Marketing and Use (98/2013) - Substances Subject to Suspicious Transactions Reporting	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Potassium nitrate; KNO ₃ 7757-79-1 (65 - 80%)	Present	
Boric acid; H ₃ BO ₃ 10043-35-3 (< 0.1%)		Use restricted. See item 30.

Component	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances for Eventual Inclusion in Annex XIV
Boric acid; H ₃ BO ₃ 10043-35-3 (< 0.1%)	Reason for inclusion Toxic for reproduction, Article 57c (233-139-2)

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Boric acid; H ₃ BO ₃	Use restricted. See item 30.	

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H360FD - May damage fertility. May damage the unborn child
- H302 - Harmful if swallowed
- H318 - Causes serious eye damage

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACH: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit

TWA: Time Weighted Average

ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%.

SVHC: Substance of Very High Concern.

Classification procedure

- Calculation method
- Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date

17-Mar-2014

Restrictions on use

Restricted to professional users

Reason for revision

*** Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.